


选型数据表 Selection data sheet

DL 系列船用立式多级离心泵

DL series Marine vertical multistage centrifugal pumps

型号组成 Model composition :



| 型号 Model | 流量 Capacity (m³/h) | 级数 series | 扬程 Head (m) | 转速 Speed (r/min) | 轴功率 Shaft power (kw) | 必需 汽蚀 余量 (NPSH) r (m) | 泵体材质 Pump material | 图纸 批准号 Drawing approval No. |
|-------------|--------------------------|--------------|-------------------|------------------------|----------------------------|-----------------------------------|--|---|
| DL2.4 | 2.4m³/h | 6 | 48/62.4 | 2900/3500 | 0.75/0.96 | 2 | HT200/QT450/ ZG07Cr19Ni10/ ZG03Cr19Ni11Mo2/ ZG03Cr22Ni6Mo3N | 型式认可 type approval |
| | 2.4m³/h | 7 | 56/72.8 | 2900/3500 | 0.87/1.20 | 2 | | |
| | 2.4m³/h | 8 | 64/83.2 | 2900/3500 | 1.00/1.28 | 2 | | |
| | 2.4m³/h | 9 | 72/93.6 | 2900/3500 | 1.11/1.44 | 2 | | |
| | 2.4m³/h | 10 | 80/104 | 2900/3500 | 1.24/1.61 | 2 | | |
| | 2.4m³/h | 11 | 88/114.4 | 2900/3500 | 1.36/1.76 | 2 | | |
| | 2.4m³/h | 12 | 96/124.8 | 2900/3500 | 1.49/1.92 | 2 | | |
| | 2.4m³/h | 13 | 104/134.4 | 2900/3500 | 1.61/2.09 | 2 | | |
| | 2.4m³/h | 14 | 112/145.6 | 2900/3500 | 1.73/2.25 | 2 | | |
| | 2.4m³/h | 15 | 120/156 | 2900/3500 | 1.86/2.41 | 2 | | |
| | 2.4m³/h | 16 | 128/166.4 | 2900/3500 | 1.98/2.57 | 2 | | |
| | 2.4m³/h | 17 | 136/176.8 | 2900/3500 | 2.10/2.72 | 2 | | |
| | 2.4m³/h | 18 | 144/187.2 | 2900/3500 | 2.23/2.89 | 2 | | |
| | 2.4m³/h | 19 | 152/197.6 | 2900/3500 | 2.35/3.05 | 2 | | |
| 2.4m³/h | 20 | 160/208 | 2900/3500 | 2.48/3.22 | 2 | | | |
| 2.4m³/h | 21 | 168/218.4 | 2900/3500 | 2.60/3.38 | 2 | | | |
| 2.4m³/h | 22 | 176/228.8 | 2900/3500 | 2.72/3.53 | 2 | | | |
| DL3 | 3m³/h | 6 | 48/62.4 | 2900/3500 | 1.04/1.33 | 2 | | |
| | 3m³/h | 7 | 56/72.8 | 2900/3500 | 0.89/1.15 | 2 | | |
| | 3m³/h | 8 | 64/83.2 | 2900/3500 | 1.19/1.54 | 2 | | |
| | 3m³/h | 9 | 72/93.6 | 2900/3500 | 1.33/1.73 | 2 | | |
| | 3m³/h | 10 | 80/104 | 2900/3500 | 1.48/1.93 | 2 | | |
| | 3m³/h | 11 | 88/114.4 | 2900/3500 | 1.63/2.11 | 2 | | |
| | 3m³/h | 12 | 96/124.8 | 2900/3500 | 1.78/2.30 | 2 | | |
| | 3m³/h | 13 | 104/134.4 | 2900/3500 | 1.93/2.50 | 2 | | |
| | 3m³/h | 14 | 112/145.6 | 2900/3500 | 2.08/2.69 | 2 | | |
| | 3m³/h | 15 | 120/156 | 2900/3500 | 2.23/2.89 | 2 | | |
| | 3m³/h | 16 | 128/166.4 | 2900/3500 | 2.37/3.08 | 2 | | |
| | 3m³/h | 17 | 136/176.8 | 2900/3500 | 2.52/3.27 | 2 | | |
| | 3m³/h | 18 | 144/187.2 | 2900/3500 | 2.67/3.47 | 2 | | |
| | 3m³/h | 19 | 152/197.6 | 2900/3500 | 2.82/3.65 | 2 | | |
| 3m³/h | 20 | 160/208 | 2900/3500 | 2.97/3.86 | 2 | | | |
| 3m³/h | 21 | 168/218.4 | 2900/3500 | 3.12/4.04 | 2 | | | |
| 3m³/h | 22 | 176/228.8 | 2900/3500 | 3.27/4.23 | 2 | | | |

| | | | | | | |
|----------------------|----------------------|-----------|-----------|-----------|-----------|---|
| DL4 | 4m ³ /h | 6 | 48/62.4 | 2900/3500 | 1.11/1.44 | 2 |
| | 4m ³ /h | 7 | 56/72.8 | 2900/3500 | 1.29/1.67 | 2 |
| | 4m ³ /h | 8 | 64/83.2 | 2900/3500 | 1.48/1.92 | 2 |
| | 4m ³ /h | 9 | 72/93.6 | 2900/3500 | 1.67/2.15 | 2 |
| | 4m ³ /h | 10 | 80/104 | 2900/3500 | 1.85/2.41 | 2 |
| | 4m ³ /h | 11 | 88/114.4 | 2900/3500 | 2.04/2.64 | 2 |
| | 4m ³ /h | 12 | 96/124.8 | 2900/3500 | 2.22/2.87 | 2 |
| | 4m ³ /h | 13 | 104/134.4 | 2900/3500 | 2.41/3.13 | 2 |
| | 4m ³ /h | 14 | 112/145.6 | 2900/3500 | 2.59/3.36 | 2 |
| | 4m ³ /h | 15 | 120/156 | 2900/3500 | 2.78/3.62 | 2 |
| | 4m ³ /h | 16 | 128/166.4 | 2900/3500 | 2.97/3.85 | 2 |
| | 4m ³ /h | 17 | 136/176.8 | 2900/3500 | 3.15/4.08 | 2 |
| | 4m ³ /h | 18 | 144/187.2 | 2900/3500 | 3.34/4.33 | 2 |
| | 4m ³ /h | 19 | 152/197.6 | 2900/3500 | 3.52/4.57 | 2 |
| 4m ³ /h | 20 | 160/208 | 2900/3500 | 3.71/4.82 | 2 | |
| 4m ³ /h | 21 | 168/218.4 | 2900/3500 | 3.89/5.05 | 2 | |
| 4m ³ /h | 22 | 176/228.8 | 2900/3500 | 4.08/5.28 | 2 | |
| DL4.8 | 4.8m ³ /h | 6 | 48/62.4 | 2900/3500 | 1.34/1.73 | 2 |
| | 4.8m ³ /h | 7 | 56/72.8 | 2900/3500 | 1.56/2.00 | 2 |
| | 4.8m ³ /h | 8 | 64/83.2 | 2900/3500 | 1.78/2.31 | 2 |
| | 4.8m ³ /h | 9 | 72/93.6 | 2900/3500 | 2.00/2.59 | 2 |
| | 4.8m ³ /h | 10 | 80/104 | 2900/3500 | 2.22/2.89 | 2 |
| | 4.8m ³ /h | 11 | 88/114.4 | 2900/3500 | 2.45/3.17 | 2 |
| | 4.8m ³ /h | 12 | 96/124.8 | 2900/3500 | 2.67/3.45 | 2 |
| | 4.8m ³ /h | 13 | 104/135.2 | 2900/3500 | 2.89/3.76 | 2 |
| | 4.8m ³ /h | 14 | 112/145.6 | 2900/3500 | 3.11/4.03 | 2 |
| | 4.8m ³ /h | 15 | 120/156 | 2900/3500 | 3.34/4.34 | 2 |
| | 4.8m ³ /h | 16 | 128/166.4 | 2900/3500 | 3.56/4.62 | 2 |
| | 4.8m ³ /h | 17 | 136/176.8 | 2900/3500 | 3.78/4.90 | 2 |
| | 4.8m ³ /h | 18 | 144/187.2 | 2900/3500 | 4.01/5.20 | 2 |
| | 4.8m ³ /h | 19 | 152/197.6 | 2900/3500 | 4.23/5.48 | 2 |
| 4.8m ³ /h | 20 | 160/208 | 2900/3500 | 4.45/5.79 | 2 | |
| 4.8m ³ /h | 21 | 168/218.4 | 2900/3500 | 4.67/6.07 | 2 | |
| 4.8m ³ /h | 22 | 176/228.8 | 2900/3500 | 4.90/6.35 | 2 | |
| DL6 | 6m ³ /h | 2 | 16/20.8 | 2900/3500 | 0.40/0.52 | 2 |
| | 6m ³ /h | 3 | 24/31.2 | 2900/3500 | 0.60/0.78 | 2 |
| | 6m ³ /h | 4 | 32/41.6 | 2900/3500 | 1.07/1.39 | 2 |
| | 6m ³ /h | 5 | 40/52 | 2900/3500 | 1.33/1.73 | 2 |
| | 6m ³ /h | 6 | 48/62.4 | 2900/3500 | 1.60/2.08 | 2 |
| | 6m ³ /h | 7 | 56/72.8 | 2900/3500 | 1.87/2.43 | 2 |
| | 6m ³ /h | 8 | 64/83.2 | 2900/3500 | 2.14/2.78 | 2 |
| | 6m ³ /h | 9 | 72/93.6 | 2900/3500 | 2.40/3.13 | 2 |
| | 6m ³ /h | 10 | 80/104 | 2900/3500 | 2.67/3.47 | 2 |
| | 6m ³ /h | 11 | 88/114.4 | 2900/3500 | 2.94/3.82 | 2 |
| | 6m ³ /h | 12 | 96/124.8 | 2900/3500 | 3.20/4.17 | 2 |
| | 6m ³ /h | 13 | 104/135.2 | 2900/3500 | 3.47/4.51 | 2 |
| | 6m ³ /h | 14 | 112/145.6 | 2900/3500 | 3.74/4.86 | 2 |
| | 6m ³ /h | 15 | 120/156 | 2900/3500 | 4.01/5.21 | 2 |
| | 6m ³ /h | 16 | 128/166.4 | 2900/3500 | 4.28/5.56 | 2 |
| | 6m ³ /h | 17 | 136/176.8 | 2900/3500 | 4.54/5.90 | 2 |
| | 6m ³ /h | 18 | 144/187.2 | 2900/3500 | 4.81/6.25 | 2 |
| | 6m ³ /h | 19 | 152/197.6 | 2900/3500 | 5.08/6.60 | 2 |
| 6m ³ /h | 20 | 160/208 | 2900/3500 | 5.35/6.95 | 2 | |
| 6m ³ /h | 21 | 168/218.4 | 2900/3500 | 5.61/7.28 | 2 | |
| 6m ³ /h | 22 | 176/228.8 | 2900/3500 | 5.88/7.62 | 2 | |

HT200/QT450/
ZG07Cr19Ni10/
ZG03Cr19Ni11Mo2/
ZG03Cr22Ni6Mo3N

型式认可
type
approval

| | | | | | | |
|--------------------|---------------------|---------------------|-----------|-----------|------------|-----------|
| DL8 | 8m ³ /h | 2 | 16/20.8 | 2900/3500 | 0.68/0.90 | 2 |
| | 8m ³ /h | 3 | 24/31.2 | 2900/3500 | 1.03/1.32 | 2 |
| | 8m ³ /h | 4 | 32/41.6 | 2900/3500 | 1.37/1.79 | 2 |
| | 8m ³ /h | 5 | 40/52 | 2900/3500 | 1.71/2.22 | 2 |
| | 8m ³ /h | 6 | 48/62.4 | 2900/3500 | 2.05/2.65 | 2 |
| | 8m ³ /h | 7 | 56/72.8 | 2900/3500 | 2.39/3.12 | 2 |
| | 8m ³ /h | 8 | 64/83.2 | 2900/3500 | 2.74/3.59 | 2 |
| | 8m ³ /h | 9 | 72/93.6 | 2900/3500 | 3.08/4.02 | 2 |
| | 8m ³ /h | 10 | 80/104 | 2900/3500 | 3.42/4.44 | 2 |
| | 8m ³ /h | 11 | 88/114.4 | 2900/3500 | 3.76/4.91 | 2 |
| | 8m ³ /h | 12 | 96/124.8 | 2900/3500 | 4.10/5.34 | 2 |
| | 8m ³ /h | 13 | 104/135.2 | 2900/3500 | 4.44/5.77 | 2 |
| | 8m ³ /h | 14 | 112/145.6 | 2900/3500 | 4.79/6.24 | 2 |
| | 8m ³ /h | 15 | 120/156 | 2900/3500 | 5.13/6.67 | 2 |
| | 8m ³ /h | 16 | 128/166.4 | 2900/3500 | 5.47/7.09 | 2 |
| | 8m ³ /h | 17 | 136/176.8 | 2900/3500 | 5.81/7.52 | 2 |
| | 8m ³ /h | 18 | 144/187.2 | 2900/3500 | 6.15/8.03 | 2 |
| | 8m ³ /h | 19 | 152/197.6 | 2900/3500 | 6.50/8.46 | 2 |
| | 8m ³ /h | 20 | 160/208 | 2900/3500 | 6.84/8.89 | 2 |
| | 8m ³ /h | 21 | 168/218.4 | 2900/3500 | 7.18/9.32 | 2 |
| | 8m ³ /h | 22 | 176/228.8 | 2900/3500 | 7.52/9.79 | 2 |
| | DL9 | 9m ³ /h | 2 | 16/20.8 | 2900/3500 | 0.76/1.00 |
| 9m ³ /h | | 3 | 24/31.2 | 2900/3500 | 1.14/1.48 | 2 |
| 9m ³ /h | | 4 | 32/41.6 | 2900/3500 | 1.52/2.00 | 2 |
| 9m ³ /h | | 5 | 40/52 | 2900/3500 | 1.90/2.48 | 2 |
| 9m ³ /h | | 6 | 48/62.4 | 2900/3500 | 2.29/2.95 | 2 |
| 9m ³ /h | | 7 | 56/72.8 | 2900/3500 | 2.67/3.48 | 2 |
| 9m ³ /h | | 8 | 64/83.2 | 2900/3500 | 3.05/3.95 | 2 |
| 9m ³ /h | | 9 | 72/93.6 | 2900/3500 | 3.43/4.48 | 2 |
| 9m ³ /h | | 10 | 80/104 | 2900/3500 | 3.81/4.95 | 2 |
| 9m ³ /h | | 11 | 88/114.4 | 2900/3500 | 4.19/5.48 | 2 |
| 9m ³ /h | | 12 | 96/124.8 | 2900/3500 | 4.57/5.95 | 2 |
| 9m ³ /h | | 13 | 104/135.2 | 2900/3500 | 4.95/6.43 | 2 |
| 9m ³ /h | | 14 | 112/145.6 | 2900/3500 | 5.33/6.95 | 2 |
| DL10 | | 10m ³ /h | 2 | 16/20.8 | 2900/3500 | 0.84/1.09 |
| | 10m ³ /h | 3 | 24/31.2 | 2900/3500 | 1.26/1.64 | 2 |
| | 10m ³ /h | 4 | 32/41.6 | 2900/3500 | 1.68/2.18 | 2 |
| | 10m ³ /h | 5 | 40/52 | 2900/3500 | 2.10/2.73 | 2 |
| | 10m ³ /h | 6 | 48/62.4 | 2900/3500 | 2.52/3.28 | 2 |
| | 10m ³ /h | 7 | 56/72.8 | 2900/3500 | 2.94/3.82 | 2 |
| | 10m ³ /h | 8 | 64/83.2 | 2900/3500 | 3.36/4.37 | 2 |
| | 10m ³ /h | 9 | 72/93.6 | 2900/3500 | 3.78/4.90 | 2 |
| | 10m ³ /h | 10 | 80/104 | 2900/3500 | 4.20/5.46 | 2 |
| | 10m ³ /h | 11 | 88/114.4 | 2900/3500 | 4.62/5.98 | 2 |
| | 10m ³ /h | 12 | 96/124.8 | 2900/3500 | 5.04/6.55 | 2 |
| | 10m ³ /h | 13 | 104/135.2 | 2900/3500 | 5.46/7.10 | 2 |
| | 10m ³ /h | 14 | 112/145.6 | 2900/3500 | 5.88/7.65 | 2 |
| | 10m ³ /h | 15 | 120/156 | 2900/3500 | 6.30/8.19 | 2 |
| | 10m ³ /h | 16 | 128/166.4 | 2900/3500 | 6.72/8.74 | 2 |
| | 10m ³ /h | 17 | 136/176.8 | 2900/3500 | 7.14/9.29 | 2 |
| | 10m ³ /h | 18 | 144/187.2 | 2900/3500 | 7.56/9.83 | 2 |
| | 10m ³ /h | 19 | 152/197.6 | 2900/3500 | 7.98/10.38 | 2 |
| | 10m ³ /h | 20 | 160/208 | 2900/3500 | 8.40/10.93 | 2 |
| | 10m ³ /h | 21 | 168/218.4 | 2900/3500 | 8.82/11.47 | 2 |
| | 10m ³ /h | 22 | 176/228.8 | 2900/3500 | 9.24/12.02 | 2 |

HT200/QT450/
ZG07Cr19Ni10/
ZG03Cr19Ni11Mo2/
ZG03Cr22Ni6Mo3N

型式认可
type
approval

| | | | | | | | |
|--|---------------------|-----------------------|-----------|-----------|-------------|-----------|--------------------------|
| DL12 | 12m ³ /h | 2 | 30/39 | 2900/3500 | 1.85/2.41 | 2.6 | |
| | 12m ³ /h | 3 | 45/58.5 | 2900/3500 | 2.78/3.62 | 2.6 | |
| | 12m ³ /h | 4 | 60/78 | 2900/3500 | 3.71/4.82 | 2.6 | |
| | 12m ³ /h | 5 | 75/97.5 | 2900/3500 | 4.64/6.03 | 2.6 | |
| | 12m ³ /h | 6 | 90/117 | 2900/3500 | 5.57/7.24 | 2.6 | |
| | 12m ³ /h | 7 | 105/136.5 | 2900/3500 | 6.49/8.41 | 2.6 | |
| | 12m ³ /h | 8 | 120/156 | 2900/3500 | 7.42/9.65 | 2.6 | |
| | 12m ³ /h | 9 | 135/175.5 | 2900/3500 | 8.35/10.86 | 2.6 | |
| | 12m ³ /h | 10 | 150/195 | 2900/3500 | 9.28/12.06 | 2.6 | |
| | 12m ³ /h | 11 | 165/214.5 | 2900/3500 | 10.21/13.24 | 2.6 | |
| | 12m ³ /h | 12 | 180/234 | 2900/3500 | 11.13/14.48 | 2.6 | |
| | 12m ³ /h | 13 | 195/253.5 | 2900/3500 | 12.06/15.68 | 2.6 | |
| | 12m ³ /h | 14 | 210/273 | 2900/3500 | 12.99/16.89 | 2.6 | |
| | DL12.5 | 12.5m ³ /h | 2 | 30/39 | 2900/3500 | 1.93/2.51 | 2.6 |
| 12.5m ³ /h | | 3 | 45/58.5 | 2900/3500 | 2.90/3.77 | 2.6 | |
| 12.5m ³ /h | | 4 | 60/78 | 2900/3500 | 3.86/5.02 | 2.6 | |
| 12.5m ³ /h | | 5 | 75/97.5 | 2900/3500 | 4.83/6.28 | 2.6 | |
| 12.5m ³ /h | | 6 | 90/117 | 2900/3500 | 5.80/7.54 | 2.6 | |
| 12.5m ³ /h | | 7 | 105/136.5 | 2900/3500 | 6.77/8.80 | 2.6 | |
| 12.5m ³ /h | | 8 | 120/156 | 2900/3500 | 7.73/10.05 | 2.6 | |
| 12.5m ³ /h | | 9 | 135/175.5 | 2900/3500 | 8.70/11.28 | 2.6 | |
| 12.5m ³ /h | | 10 | 150/195 | 2900/3500 | 9.67/12.57 | 2.6 | |
| 12.5m ³ /h | | 11 | 165/214.5 | 2900/3500 | 10.63/13.79 | 2.6 | |
| 12.5m ³ /h | | 12 | 180/234 | 2900/3500 | 11.60/15.08 | 2.6 | |
| 12.5m ³ /h | | 13 | 195/253.5 | 2900/3500 | 12.57/16.30 | 2.6 | |
| 12.5m ³ /h | | 14 | 210/273 | 2900/3500 | 13.53/17.60 | 2.6 | |
| DL16 | | 16m ³ /h | 2 | 30/39 | 2900/3500 | 2.43/3.61 | 2.8 |
| | 16m ³ /h | 3 | 45/58.5 | 2900/3500 | 3.64/4.74 | 2.8 | |
| | 16m ³ /h | 4 | 60/78 | 2900/3500 | 4.86/6.31 | 2.8 | |
| | 16m ³ /h | 5 | 75/97.5 | 2900/3500 | 6.07/7.89 | 2.8 | |
| | 16m ³ /h | 6 | 90/117 | 2900/3500 | 7.29/9.47 | 2.8 | |
| | 16m ³ /h | 7 | 105/136.5 | 2900/3500 | 8.50/11.05 | 2.8 | |
| | 16m ³ /h | 8 | 120/156 | 2900/3500 | 9.72/12.63 | 2.8 | |
| | 16m ³ /h | 9 | 135/175.5 | 2900/3500 | 10.93/14.21 | 2.8 | |
| | 16m ³ /h | 10 | 150/195 | 2900/3500 | 12.15/15.79 | 2.8 | |
| | 16m ³ /h | 11 | 165/214.5 | 2900/3500 | 13.36/17.37 | 2.8 | |
| | 16m ³ /h | 12 | 180/234 | 2900/3500 | 14.58/18.95 | 2.8 | |
| | 16m ³ /h | 13 | 195/253.5 | 2900/3500 | 15.79/20.53 | 2.8 | |
| | 16m ³ /h | 14 | 210/273 | 2900/3500 | 17.01/22.11 | 2.8 | |
| | DL18 | 18m ³ /h | 2 | 30/39 | 2900/3500 | 2.73/3.55 | 2.8 |
| 18m ³ /h | | 3 | 45/58.5 | 2900/3500 | 4.09/5.32 | 2.8 | |
| 18m ³ /h | | 4 | 60/78 | 2900/3500 | 5.45/7.09 | 2.8 | |
| 18m ³ /h | | 5 | 75/97.5 | 2900/3500 | 6.82/8.86 | 2.8 | |
| 18m ³ /h | | 6 | 90/117 | 2900/3500 | 8.18/10.64 | 2.8 | |
| 18m ³ /h | | 7 | 105/136.5 | 2900/3500 | 9.54/12.41 | 2.8 | |
| 18m ³ /h | | 8 | 120/156 | 2900/3500 | 10.90/14.18 | 2.8 | |
| 18m ³ /h | | 9 | 135/175.5 | 2900/3500 | 12.27/15.95 | 2.8 | |
| 18m ³ /h | | 10 | 150/195 | 2900/3500 | 13.64/17.73 | 2.8 | |
| 18m ³ /h | | 11 | 165/214.5 | 2900/3500 | 15.00/19.5 | 2.8 | |
| 18m ³ /h | | 12 | 180/234 | 2900/3500 | 16.36/21.27 | 2.8 | |
| 18m ³ /h | | 13 | 195/253.5 | 2900/3500 | 17.73/23.05 | 2.8 | |
| 18m ³ /h | | 14 | 210/273 | 2900/3500 | 19.09/24.82 | 2.8 | |
| DL24 | | 24m ³ /h | 2 | 32/41.6 | 2900/3500 | 3.68/4.78 | 3.3 |
| | 24m ³ /h | 3 | 48/62.4 | 2900/3500 | 5.52/7.17 | 3.3 | |
| | 24m ³ /h | 4 | 64/83.2 | 2900/3500 | 7.36/9.56 | 3.3 | |
| | 24m ³ /h | 5 | 80/104 | 2900/3500 | 9.20/11.95 | 3.3 | |
| HT200/QT450/ ZG07Cr19Ni10/ ZG03Cr19Ni11Mo2/ ZG03Cr22Ni6Mo3N | | | | | | | 型式认可 type approval |

| | | | | | | |
|---------------------|---------------------|-----------|-----------|-------------|-------------|-----|
| DL24 | 24m ³ /h | 6 | 96/124.8 | 2900/3500 | 11.03/14.34 | 3.3 |
| | 24m ³ /h | 7 | 112/145.6 | 2900/3500 | 12.87/16.74 | 3.3 |
| | 24m ³ /h | 8 | 128/166.4 | 2900/3500 | 14.71/19.13 | 3.3 |
| | 24m ³ /h | 9 | 144/187.2 | 2900/3500 | 16.55/21.52 | 3.3 |
| | 24m ³ /h | 10 | 160/208 | 2900/3500 | 18.39/23.91 | 3.3 |
| | 24m ³ /h | 11 | 176/228.8 | 2900/3500 | 20.23/26.30 | 3.3 |
| | 24m ³ /h | 12 | 192/249.6 | 2900/3500 | 22.07/28.69 | 3.3 |
| | 24m ³ /h | 13 | 208/270.4 | 2900/3500 | 23.91/31.08 | 3.3 |
| 24m ³ /h | 14 | 224/291.2 | 2900/3500 | 25.75/33.47 | 3.3 | |
| DL25 | 25m ³ /h | 2 | 32/41 | 2900/3500 | 3.84/4.92 | 3.3 |
| | 25m ³ /h | 3 | 48/62 | 2900/3500 | 5.76/7.44 | 3.3 |
| | 25m ³ /h | 4 | 64/83 | 2900/3500 | 7.68/9.96 | 3.3 |
| | 25m ³ /h | 5 | 80/104 | 2900/3500 | 9.60/12.48 | 3.3 |
| | 25m ³ /h | 6 | 96/124 | 2900/3500 | 11.52/14.88 | 3.3 |
| | 25m ³ /h | 7 | 112/145 | 2900/3500 | 13.44/17.4 | 3.3 |
| | 25m ³ /h | 8 | 128/166 | 2900/3500 | 15.36/19.92 | 3.3 |
| | 25m ³ /h | 9 | 144/187 | 2900/3500 | 17.28/22.44 | 3.3 |
| | 25m ³ /h | 10 | 160/208 | 2900/3500 | 19.20/24.96 | 3.3 |
| | 25m ³ /h | 11 | 176/228 | 2900/3500 | 21.12/27.36 | 3.3 |
| | 25m ³ /h | 12 | 192/249 | 2900/3500 | 23.04/29.88 | 3.3 |
| | 25m ³ /h | 13 | 208/270 | 2900/3500 | 24.96/32.40 | 3.3 |
| 25m ³ /h | 14 | 224/291 | 2900/3500 | 26.88/34.92 | 3.3 | |
| DL30 | 30m ³ /h | 2 | 32/41 | 2900/3500 | 4.60/5.89 | 3.5 |
| | 30m ³ /h | 3 | 48/62 | 2900/3500 | 6.90/8.91 | 3.5 |
| | 30m ³ /h | 4 | 64/83 | 2900/3500 | 9.20/8.91 | 3.5 |
| | 30m ³ /h | 5 | 80/104 | 2900/3500 | 11.49/14.94 | 3.5 |
| | 30m ³ /h | 6 | 96/124 | 2900/3500 | 13.79/17.82 | 3.5 |
| | 30m ³ /h | 7 | 112/145 | 2900/3500 | 16.09/20.83 | 3.5 |
| | 30m ³ /h | 8 | 128/166 | 2900/3500 | 18.39/23.85 | 3.5 |
| | 30m ³ /h | 9 | 144/187 | 2900/3500 | 20.69/26.87 | 3.5 |
| | 30m ³ /h | 10 | 160/208 | 2900/3500 | 22.99/29.89 | 3.5 |
| | 30m ³ /h | 11 | 176/228 | 2900/3500 | 25.29/32.76 | 3.5 |
| | 30m ³ /h | 12 | 192/249 | 2900/3500 | 27.59/35.78 | 3.5 |
| | 30m ³ /h | 13 | 208/270 | 2900/3500 | 29.89/38.79 | 3.5 |
| 30m ³ /h | 14 | 224/291 | 2900/3500 | 32.18/41.81 | 3.5 | |
| DL36 | 36m ³ /h | 2 | 32/41 | 2900/3500 | 5.33/6.83 | 3.7 |
| | 36m ³ /h | 3 | 48/62 | 2900/3500 | 8.00/10.33 | 3.7 |
| | 36m ³ /h | 4 | 64/83 | 2900/3500 | 10.67/13.83 | 3.7 |
| | 36m ³ /h | 5 | 80/104 | 2900/3500 | 13.33/17.33 | 3.7 |
| | 36m ³ /h | 6 | 96/124 | 2900/3500 | 16.00/20.67 | 3.7 |
| | 36m ³ /h | 7 | 112/145 | 2900/3500 | 18.67/24.17 | 3.7 |
| | 36m ³ /h | 8 | 128/166 | 2900/3500 | 21.33/27.67 | 3.7 |
| | 36m ³ /h | 9 | 144/187 | 2900/3500 | 24.00/31.17 | 3.7 |
| | 36m ³ /h | 10 | 160/208 | 2900/3500 | 26.67/34.67 | 3.7 |
| | 36m ³ /h | 11 | 176/228 | 2900/3500 | 29.33/38.00 | 3.7 |
| | 36m ³ /h | 12 | 192/249 | 2900/3500 | 32.00/41.50 | 3.7 |
| | 36m ³ /h | 13 | 208/270 | 2900/3500 | 34.67/45.00 | 3.7 |
| 36m ³ /h | 14 | 224/291 | 2900/3500 | 37.33/48.5 | 3.7 | |
| DL42 | 42m ³ /h | 2 | 32/41 | 2900/3500 | 6.12/7.84 | 3.9 |
| | 42m ³ /h | 3 | 48/62 | 2900/3500 | 9.18/11.86 | 3.9 |
| | 42m ³ /h | 4 | 64/83 | 2900/3500 | 12.24/15.87 | 3.9 |
| | 42m ³ /h | 5 | 80/104 | 2900/3500 | 15.30/19.89 | 3.9 |
| | 42m ³ /h | 6 | 96/124 | 2900/3500 | 18.36/23.72 | 3.9 |
| | 42m ³ /h | 7 | 112/145 | 2900/3500 | 21.42/27.73 | 3.9 |
| | 42m ³ /h | 8 | 128/166 | 2900/3500 | 24.48/31.75 | 3.9 |
| 42m ³ /h | 9 | 144/287 | 2900/3500 | 27.54/35.77 | 3.9 | |

HT200/QT450/
ZG07Cr19Ni10/
ZG03Cr19Ni11Mo2/
ZG03Cr22Ni6Mo3N

型式认可
type
approval

| | | | | | | | | |
|---------------------|----------------------|---------------------|---------|-----------|-------------|-----------|--|--------------------------|
| DL42 | 42m ³ /h | 10 | 160/208 | 2900/3500 | 30.60/39.78 | 3.9 | HT200/QT450/ ZG07Cr19Ni10/ ZG03Cr19Ni11Mo2/ ZG03Cr22Ni6Mo3N | 型式认可 type approval |
| | 42m ³ /h | 11 | 176/228 | 2900/3500 | 33.66/43.61 | 3.9 | | |
| | 42m ³ /h | 12 | 192/249 | 2900/3500 | 36.72/47.62 | 3.9 | | |
| DL50 | 50m ³ /h | 2 | 32/41 | 2900/3500 | 7.17/9.18 | 3.9 | | |
| | 50m ³ /h | 3 | 48/62 | 2900/3500 | 10.75/13.89 | 3.9 | | |
| | 50m ³ /h | 4 | 64/83 | 2900/3500 | 14.34/18.59 | 3.9 | | |
| | 50m ³ /h | 5 | 80/104 | 2900/3500 | 17.92/23.30 | 3.9 | | |
| | 50m ³ /h | 6 | 96/124 | 2900/3500 | 21.50/27.78 | 3.9 | | |
| | 50m ³ /h | 7 | 112/145 | 2900/3500 | 25.09/32.48 | 3.9 | | |
| | 50m ³ /h | 8 | 128/166 | 2900/3500 | 28.67/37.19 | 3.9 | | |
| | 50m ³ /h | 9 | 144/187 | 2900/3500 | 32.26/41.89 | 3.9 | | |
| | 50m ³ /h | 10 | 160/208 | 2900/3500 | 35.84/46.59 | 3.9 | | |
| | 50m ³ /h | 11 | 176/228 | 2900/3500 | 39.43/51.08 | 3.9 | | |
| | 50m ³ /h | 12 | 192/249 | 2900/3500 | 43.01/55.78 | 3.9 | | |
| | DL60 | 60m ³ /h | 1 | 20/26 | 2900/3500 | 5.29/6.88 | | |
| 60m ³ /h | | 2 | 40/52 | 2900/3500 | 10.58/13.76 | 3.9 | | |
| 60m ³ /h | | 3 | 60/78 | 2900/3500 | 15.87/20.63 | 3.9 | | |
| 60m ³ /h | | 4 | 80/104 | 2900/3500 | 21.16/27.51 | 3.9 | | |
| 60m ³ /h | | 5 | 100/130 | 2900/3500 | 26.46/34.39 | 3.9 | | |
| 60m ³ /h | | 6 | 120/156 | 2900/3500 | 31.74/41.27 | 3.9 | | |
| 60m ³ /h | | 7 | 140/182 | 2900/3500 | 37.04/48.15 | 3.9 | | |
| 60m ³ /h | | 8 | 160/208 | 2900/3500 | 42.33/55.03 | 3.9 | | |
| 60m ³ /h | | 9 | 180/234 | 2900/3500 | 47.62/61.90 | 3.9 | | |
| 60m ³ /h | | 10 | 200/260 | 2900/3500 | 52.91/68.78 | 3.9 | | |
| DL72 | 72m ³ /h | 1 | 20/26 | 2900/3500 | 6.25/8.13 | 4 | | |
| | 72m ³ /h | 2 | 40/52 | 2900/3500 | 12.50/6.25 | 4 | | |
| | 72m ³ /h | 3 | 60/78 | 2900/3500 | 18.75/24.38 | 4 | | |
| | 72m ³ /h | 4 | 80/104 | 2900/3500 | 25.00/32.50 | 4 | | |
| | 72m ³ /h | 5 | 100/130 | 2900/3500 | 31.25/40.63 | 4 | | |
| | 72m ³ /h | 6 | 120/156 | 2900/3500 | 37.50/48.75 | 4 | | |
| | 72m ³ /h | 7 | 140/182 | 2900/3500 | 43.75/56.88 | 4 | | |
| | 72m ³ /h | 8 | 160/208 | 2900/3500 | 50.00/65.00 | 4 | | |
| | 72m ³ /h | 9 | 180/234 | 2900/3500 | 56.25/73.13 | 4 | | |
| | 72m ³ /h | 10 | 200/260 | 2900/3500 | 62.50/81.25 | 4 | | |
| DL90 | 90m ³ /h | 1 | 20/24 | 2900/3500 | 7.81/10.16 | 4.1 | | |
| | 90m ³ /h | 2 | 40/52 | 2900/3500 | 15.63/20.31 | 4.1 | | |
| | 90m ³ /h | 3 | 60/78 | 2900/3500 | 23.44/30.47 | 4.1 | | |
| | 90m ³ /h | 4 | 81/104 | 2900/3500 | 31.25/40.63 | 4.1 | | |
| | 90m ³ /h | 5 | 100/130 | 2900/3500 | 37.90/49.20 | 4.1 | | |
| | 90m ³ /h | 6 | 120/156 | 2900/3500 | 45.50/59.10 | 4.1 | | |
| DL108 | 108m ³ /h | 1 | 20/26 | 2900/3500 | 9.10/11.80 | 4.1 | | |
| | 108m ³ /h | 2 | 40/52 | 2900/3500 | 18.10/23.60 | 4.1 | | |
| | 108m ³ /h | 3 | 60/78 | 2900/3500 | 27.30/35.50 | 4.1 | | |
| | 108m ³ /h | 4 | 81/104 | 2900/3500 | 36.40/47.30 | 4.1 | | |
| | 108m ³ /h | 5 | 100/130 | 2900/3500 | 45.50/59.01 | 4.1 | | |
| | 108m ³ /h | 6 | 120/156 | 2900/3500 | 54.50/59.01 | 4.1 | | |
| DL120 | 120m ³ /h | 1 | 20/26 | 2900/3500 | 10.10/13.10 | 4.1 | | |
| | 120m ³ /h | 2 | 40/52 | 2900/3500 | 20.20/26.30 | 4.1 | | |
| | 120m ³ /h | 3 | 60/78 | 2900/3500 | 30.30/39.40 | 4.1 | | |
| | 120m ³ /h | 4 | 80/104 | 2900/3500 | 40.40/52.50 | 4.1 | | |
| | 120m ³ /h | 5 | 100/130 | 2900/3500 | 50.50/65.70 | 4.1 | | |
| | 120m ³ /h | 6 | 120/156 | 2900/3500 | 60.60/78.80 | 4.1 | | |